

6-PANEL (TEXTURED)

Distinguished by more than a quarter century of precise craftmanship, this classic interior door design rises above all imitators.

6'8" and 8'0" Sizes Available (7'0" height available with extended lead time.) 1'4", 1'6", 1'8" and 2'2" not available in 8'0".

| 1'0" | 1"2" | 1'3" | 1'4" | 1'6" | 1'8" | 1'10" | 2'0" | 2'2" | 2'4" | 2'6" | 2'8" | 2'10" | 3'0" |
|------|------|------|------|------|------|-------|------|------|------|------|------|-------|------|
| | | | | | | | | | | | | | |

Durable, Long Lasting Performance

Made from molded high-density fiberboard, the Haley Bros 6-Panel resists shrinking, swelling cracking and joint separation. Engineered wood designs out performs wood doors while offering *superior value*. Available in standard 6'8' and 8'0" passage sizes with pine wood grain textured finish.

Haley offers a limited 1-year warranty for quality and crafstmanship on all residential molded panel doors.



Available in 6'8" and 8'0" passage sizes.

Most sizes can be specified for either hollow or solidcore contruction and with either fingerjoint or MDF stiles and rails.

Available in 20, 45 and 60-minute fire ratings.

All doors available primed with a new VOC primer; ready to paint.

Covered by a 1-year limited warranty for interior use.

GREEN BENEFITS

Haley molded door designs (facings) meet Phase 2 of the California Air Resources Board (CARB)

Airborne Toxic Control Measure (ATCM) 93120.

Haley molded door designs conatain No Added Urea Formaldehyde (NAUF.)

All hollow core Haley interior passage content doors contain a minimum of 25% pre-consumer recycled wood fiber content.


HALEY BROS., INC.

6291 Orangethorpe Ave Buena Park, CA 90620

Ph: 800-854-5951 www.haleybros.com info@haleybros.com




MOLDED DOOR DESIGNS-DIMENSIONAL SPECIFICATIONS



6-Panel Textured 6'8"

Bead and Cove Profile



6-Panel Textured 6'8"


MOLDED DOOR DESIGN (DOOR FACING) SIZE

Overall length and width dimensions +/- I/16"

| Nominal | Α | В | С | D |
|---------|--------|------|-------|------|
| 36 | 36.375 | 4.34 | 11.94 | 3.81 |
| 34 | 34.375 | 5.34 | 9.94 | 3.81 |
| 32 | 32.375 | 4.34 | 9.94 | 3.81 |
| 30 | 30.375 | 4.34 | 8.94 | 3.81 |
| 28 | 28.375 | 4.34 | 7.94 | 3.81 |
| 26 | 26.375 | 5.34 | 5.94 | 3.81 |
| 24 | 24.375 | 4.34 | 5.94 | 3.81 |
| 20 | 20.375 | 4.22 | 11.94 | |
| 18 | 18.375 | 3.22 | 11.94 | |
| 16 U | 16.375 | 4.69 | 7.00 | |
| 18/18 B | | | | |
| 16/16 B | | | | |
| 15/15 B | | | | |
| 14/14 B | | | | |
| 12/12 B | | | | |
| 9/9 B | 18.375 | 3.22 | 4.81 | 2.31 |




MOLDED DOOR DESIGNS-DIMENSIONAL SPECIFICATIONS



Colonist Textured 8'0"

Bead and Cove Profile



Colonist Textured 8'0"

MOLDED DOOR DESIGN (DOOR FACING) SIZE

Overall length and width dimensions +/- 1/16"

| Nominal | Α | В | С | D |
|---------|--------|------|-------|------|
| 36 | 36.375 | 4.34 | 11.94 | 3.81 |
| 34 | 34.375 | 5.34 | 9.94 | 3.81 |
| 32 | 32.375 | 4.34 | 9.94 | 3.81 |
| 30 | 30.375 | 4.34 | 8.94 | 3.81 |
| 28 | 28.375 | 4.34 | 7.94 | 3.81 |
| 26 | 26.375 | 5.34 | 5.94 | 3.81 |
| 24 | 24.375 | 4.34 | 5.94 | 3.81 |
| 20 | | | | |
| 18 | | | | |
| 16 U | | | | |
| 18/18 B | | | | |
| 16/16 B | | | | |
| 15/15 B | | | | |
| 14/14 B | | | | |
| 12/12 B | | | | |